## LENT RISE SCHOOL



### **CALCULATION POLICY 2022/23**

#### Author / staff lead: Mr M Harman

Abstract:


This policy sets out the methods the school uses to teach maths to ensure a consistent approach.


| Approved by:           | Mrs M Young<br>Chair of Governors | Mazzo | 05/05/2018 |
|------------------------|-----------------------------------|-------|------------|
| Approved by:           | Mrs J Watson<br>Headteacher       | Race. | 05/05/2018 |
| Last reviewed on:      | 22/02/2023                        |       |            |
| Next review due<br>by: | 05/09/2023                        |       |            |
| Policy number:         | LRS0017                           |       |            |




| Skill                               | Year | Representations and models   |   |  |  |  |
|-------------------------------------|------|--|---|--|--|--|
| Add two 1-digit<br>numbers to 10    | 1    | Part-whole model<br>Bar model<br>Number shapes                           | Ten frames (within 10)<br>Bead strings (10)<br>Number tracks            |  |  |  |
| Add 1 and 2-digit<br>numbers to 20  | 1    | Part-whole model<br>Bar model<br>Number shapes<br>Ten frames (within 20) | Bead strings (20)<br>Number tracks<br>Number lines (labelled)<br>Straws |  |  |  |
| Add three 1-digit<br>numbers        | 2    | Part-whole model<br>Bar model  | Ten frames (within 20)<br>Number shapes                                 |  |  |  |
| Add 1 and 2-digit<br>numbers to 100 | 2    | Part-whole model<br>Bar model<br>Number lines (labelled)                 | Number lines (blank)<br>Straws<br>Hundred square                        |  |  |  |


| Skill                              | Year               | Representation  | ns and models                                      |
|------------------------------------|--------------------|---|--|
| Add two 2-digit<br>numbers         | 2                  | Part-whole model<br>Bar model<br>Number lines (blank)<br>Straws | Base 10<br>Place value counters<br>Column addition |
| Add with up to 3-digits            | n up to 3-digits 3 |   | Base 10<br>Place value counters<br>Column addition |
| Add with up to 4-digits            | 4                  | Part-whole model<br>Bar model                                   | Base 10<br>Place value counters<br>Column addition |
| Add with more than 4<br>digits     | 5                  | Part-whole model<br>Bar model                                   | Place value counters<br>Column addition            |
| Add with up to 3<br>decimal places | 5                  | Part-whole model<br>Bar model                                   | Place value counters<br>Column addition            |











| Skill: Add 1-digit and 2-digit numbers to 100  | Year: 2/3  |
|--|--|
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$  | When adding single<br>digits to a two-digit<br>number, children<br>should be<br>encouraged to count<br>on from the larger<br>number. |
| <u>38</u> <u>38</u> <u>38</u> <u>5</u> <u>38</u> <u>38</u> <u>38</u> <u>38</u> <u>38</u> <u>38</u> <u>38</u> <u>38</u>   | They should also<br>apply their knowledge  |
| 1       2       3       4       5       6       7       8       9       10         11       12       13       14       15       16       17       18       19       20         21       22       23       24       25       26       27       28       29       30         31       32       33       34       35       36       37       38       39       40         41       42       43       44       45       46       47       48       49       50         51       52       53       54       55       56       57       58       59       60         61       62       63       64       65       66       67       68       69       70 | of number bonds to<br>add more efficiently<br>e.g. $8 + 5 = 13$ so $38$<br>+ 5 = 43.<br>Hundred squares and                          |
| 71       72       73       74       75       76       77       78       79       80         81       82       83       84       85       86       87       88       89       90         91       92       93       94       95       96       97       98       99   | straws can support<br>children to find the<br>number bond to 10.   |

















| Skill                                    | Year | Representatio  | ns and models  |
|--|------|--|--|
| Subtract two 1-digit<br>numbers to 10    | 1    | Part-whole model<br>Bar model<br>Number shapes                           | Ten frames (within 10)<br>Bead strings (10)<br>Number tracks           |
| Subtract 1 and 2-digit<br>numbers to 20  | 1    | Part-whole model<br>Bar model<br>Number shapes<br>Ten frames (within 20) | Bead string (20)<br>Number tracks<br>Number lines (labelled)<br>Straws |
| Subtract 1 and 2-digit<br>numbers to 100 | 2    | Part-whole model<br>Bar model<br>Number lines (labelled)                 | Number lines (blank)<br>Straws<br>Hundred square                       |
| Subtract two 2-digit<br>numbers          | 2    | Part-whole model<br>Bar model<br>Number lines (blank)<br>Straws          | Base 10<br>Place value counters<br>Column addition                     |


| Skill                                   | Year | Representatio                 | ations and models                                  |  |  |
|---|------|-------------------------------|--|--|--|
| Subtract with up to 3-<br>digits        | 3    | Part-whole model<br>Bar model | Base 10<br>Place value counters<br>Column addition |  |  |
| Subtract with up to 4-<br>digits        | 4    | Part-whole model<br>Bar model | Base 10<br>Place value counters<br>Column addition |  |  |
| Subtract with more than<br>4 digits     | 5    | Part-whole model<br>Bar model | Place value counters<br>Column addition            |  |  |
| Subtract with up to 3<br>decimal places | 5    | Part-whole model<br>Bar model | Place value counters<br>Column addition            |  |  |

















#### Glossary

Addend - A number to be added to another.

**Aggregation -** combining two or more quantities or measures to find a total.

**Augmentation –** increasing a quantity or measure by another quantity.

Commutative - numbers can be added in any order.

**Complement –** in addition, a number and its complement make a total e.g. 300 is the complement to 700 to make 1,000

**Difference** – the numerical difference between two numbers is found by comparing the quantity in each group.

**Exchange** – Change a number or expression for another of an equal value.

**Minuend** – A quantity or number from which another is subtracted.

**Partitioning –** Splitting a number into its component parts.

Reduction - Subtraction as take away.

**Subitise** – Instantly recognise the number of objects in a small group without needing to count.

**Subtrahend -** A number to be subtracted from another.

**Sum -** The result of an addition.

**Total –** The aggregate or the sum found by addition.


## **Times Tables**

| Skill                  | Year | Representations and models |                  |  |  |  |
|------------------------|------|----------------------------|------------------|--|--|--|
| Recall and use         | 2    | Bar model                  | Ten frames       |  |  |  |
| multiplication and     |      | Number shapes              | Bead strings     |  |  |  |
| division facts for the |      | Counters                   | Number lines     |  |  |  |
| 2-times table          |      | Money                      | Everyday objects |  |  |  |
| Recall and use         | 2    | Bar model                  | Ten frames       |  |  |  |
| multiplication and     |      | Number shapes              | Bead strings     |  |  |  |
| division facts for the |      | Counters                   | Number lines     |  |  |  |
| 5-times table          |      | Money                      | Everyday objects |  |  |  |
| Recall and use         |      | Hundred square             | Ten frames       |  |  |  |
| multiplication and     |      | Number shapes              | Bead strings     |  |  |  |
| division facts for the |      | Counters                   | Number lines     |  |  |  |
| 10-times table         |      | Money                      | Base 10          |  |  |  |


| Skill   | Year | Representation                              | ns and models                                     |
|---|------|---|---|
| Recall and use<br>multiplication and<br>division facts for the<br>3-times table | 3    | Hundred square<br>Number shapes<br>Counters | Bead strings<br>Number lines<br>Everyday objects  |
| Recall and use<br>multiplication and<br>division facts for the<br>4-times table | 3    | Hundred square<br>Number shapes<br>Counters | Bead strings<br>Number lines<br>Everyday objects  |
| Recall and use<br>multiplication and<br>division facts for the<br>8-times table | 3    | Hundred square<br>Number shapes             | Bead strings<br>Number tracks<br>Everyday objects |
| Recall and use<br>multiplication and<br>division facts for the<br>6-times table | 4    | Hundred square<br>Number shapes             | Bead strings<br>Number tracks<br>Everyday objects |

| Skill  | Year | Representations and models      |                                      |  |  |  |  |
|--|------|---------------------------------|--------------------------------------|--|--|--|--|
| Recall and use<br>multiplication and<br>division facts for the<br>7-times table  | 4    | Hundred square<br>Number shapes | Bead strings<br>Number lines         |  |  |  |  |
| Recall and use<br>multiplication and<br>division facts for the<br>9-times table  | 4    | Hundred square<br>Number shapes | Bead strings<br>Number lines         |  |  |  |  |
| Recall and use<br>multiplication and<br>division facts for the<br>11-times table | 4    | Hundred square<br>Base 10       | Place value counters<br>Number lines |  |  |  |  |
| Recall and use<br>multiplication and<br>division facts for the<br>12-times table | 4    | Hundred square<br>Base 10       | Place value counters<br>Number lines |  |  |  |  |


| Skill: 2  | Year: 2   |  |
|---|---|--|
|   | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Encourage daily<br>counting in multiples<br>both forwards and<br>backwards. This can<br>be supported using a |
|   |   | number line or a<br>hundred square.<br>Look for patterns in<br>the two times table,                          |
| 1       2       3       4       5       6       7       8       9       10         11       12       13       14       15       16       17       18       19       20         21       22       23       24       25       26       27       28       29       30         31       32       33       34       35       36       37       39       39       40         41       42       43       44       45       46       47       49       50 |   | using concrete<br>manipulatives to<br>support. Notice how<br>all the numbers are<br>even and there is a      |
| 0 1 2 3 4 5 6 7 8 9   | 10 11 12 13 14 15 16 17 18 19 20                      | pattern in the ones.<br>Use different models<br>to develop fluency.  |




| Skill: 10 times table |    |    |    |    |    |           |    |    | Year: 2 |            |   |
|-----------------------|----|----|----|----|----|-----------|----|----|---------|------------|---|
|                       |    |    |    |    |    | +<br>50 7 |    |    |         | →<br>>     | Encourage daily<br>counting in multiples<br>both forwards and<br>backwards. This can<br>be supported using a<br>number line or a<br>hundred square. |
|                       | 1  | 2  | 3  | 4  | 5  | 6         | 7  | 8  | 9       | 10         | Look for patterns in  |
|                       | 11 | 12 | 13 | 14 | 15 | 16        | 17 | 18 | 19      | 20         | the ten times table,  |
|                       | 21 | 22 | 23 | 24 | 25 | 26        | 27 | 28 | 29      | 30         | using concrete  |
|                       | 31 | 32 | 33 | 34 | 35 | 36        | 37 | 38 | 39      | 40         | manipulatives to  |
|                       | 41 | 42 | 43 | 44 | 45 | 46        | 47 | 48 | 49      | 50         | support. Notice the   |
|                       | 51 | 52 | 53 | 54 | 55 | 56        | 57 | 58 | 59      | 60         | pattern in the digits-  |
|                       | 61 | 62 | 63 | 64 | 65 | 66        | 67 | 68 | 69      | 70         | the ones are always 0,  |
|                       | 71 | 72 | 73 | 74 | 75 | 76        | 77 | 78 | 79      | 80         | and the tens increase   |
|                       | 81 | 82 | 83 | 84 | 85 | 86        | 87 | 88 | 89      | 90         | by 1 ten each time.   |
|                       | 91 | 92 | 93 | 94 | 95 | 96        | 97 | 98 | 99      | $\bigcirc$ |   |




|                           | Skill: 4 times table  |  |   |  |         |        |          |         | Year: 3 |   |
|---------------------------|---|--|---|--|---------|--------|----------|---------|---------|---|
| 1<br>11<br>21<br>31<br>41 | 12     13     1       22     23     2       32     33     3 | 4)       5       6         14       15       16         20       25       26         34       35       35         14       45       46 | 17     18       27     28       37     38     | 9 10<br>19 20<br>29 30<br>39 40<br>49 50 | )       |        |          |         |         | Encourage daily<br>counting in multiples,<br>supported by a<br>number line or a<br>hundred square.<br>Look for patterns in<br>the four times table,<br>using manipulatives<br>to support. Make links<br>to the 2 times table, |
| 4<br>24                   | 8<br>28   | 12<br>32   | 16<br>36                                      | 20<br>40                                 |         | 4      | 8        | 12      | 16      | seeing how each<br>multiple is double the<br>twos. Notice the   |
| 44                        | 48<br>••••<br>• •   | 52<br>   | 56<br>••••••<br>••••••••••••••••••••••••••••• | 60<br><b>200</b><br>   <br>0 24          | )<br>)) | ○○<br> | )))-<br> | ○○○<br> | ∞–<br>→ | pattern in the ones<br>within each group of<br>five multiples.<br>Highlight that all the<br>multiples are even<br>using number shapes<br>to support.  |



|  | Skill: 6 times table   |  |                               |                           |  |              |                |  |   |                      |                      |                      | Year: 4              |                       |  |
|--|--|--|-------------------------------|---------------------------|--|--------------|----------------|--|---|----------------------|----------------------|----------------------|----------------------|-----------------------|--|
|  | 6         12         18         24         30           36         42         48         54         60 |  |                               |                           |  |              |                |  | 1       2       3       4       5       6         11       12       13       14       15       16         21       22       23       24       25       26         31       32       33       34       35       36         41       42       43       44       45       46         51       52       53       64       55       56         61       62       63       64       65       66 |                      |                      |                      |                      |                       | Encourage daily<br>counting in multiples,<br>supported by a<br>number line or a<br>hundred square.<br>Look for patterns in<br>the six times table,   |
|  |  |  |                               |                           |  |              |                |  | 65<br>75<br>85<br>95  | 66<br>76<br>86<br>96 | 67<br>77<br>87<br>97 | 68<br>78<br>88<br>98 | 69<br>79<br>89<br>99 | 70<br>80<br>90<br>100 | using manipulatives<br>to support. Make links<br>to the 3 times table,<br>seeing how each  |
|  | <b>2000</b><br>  -<br>0 6  |  | ) - <b>Q</b><br>-  <br>3 24 3 | <b>00</b><br>   <br>60 36 |  | )<br> <br> 8 | -(<br>+-<br>54 |  |   | )<br>                | /<br>+<br>72         |                      | )                    |                       | multiple is double the<br>threes. Notice the<br>pattern in the ones<br>within each group of<br>five multiples.<br>Highlight that all the<br>multiples are even<br>using number shapes<br>to support. |



| Skill: 7 times table |          |              |          |   |                |   |   |                      |   |                |                            | Year: 4   |   |  |
|----------------------|----------|--------------|----------|---|----------------|---|---|----------------------|---|----------------|----------------------------|---|---|--|
|                      | 21<br>56 | 28<br>63<br> | 35<br>70 | 1<br>11<br>2)<br>31<br>41<br>51<br>61<br>71<br>81<br>9) | 72<br>82<br>92 | 3<br>13<br>23<br>43<br>53<br>63<br>73<br>83<br>93<br>93 | 4<br>14<br>24<br>34<br>44<br>64<br>74<br>94<br>94 | 65<br>75<br>85<br>95 | 6<br>16<br>26<br>36<br>46<br>66<br>76<br>86<br>96<br>96 | 47<br>57<br>67 | 58<br>68<br>78<br>88<br>99 | 9<br>19<br>29<br>39<br>59<br>69<br>79<br>89<br>99<br><b>X</b> | 10<br>20<br>30<br>40<br>50<br>60<br><b>?</b><br>90<br>100 | Encourage daily<br>counting in multiples<br>both forwards and<br>backwards, supported<br>by a number line or a<br>hundred square.<br>The seven times table<br>can be trickier to<br>learn due to the lack<br>of obvious pattern in<br>the numbers, however<br>they already know<br>several facts due to<br>commutativity.<br>Children can still see<br>the odd, even pattern<br>in the multiples using<br>number shapes to<br>support. |





# **Multiplication**


| Skill   | Year | Representatio                          | ons and models                                  |
|---|------|--|---|
| Solve one-step<br>problems with<br>multiplication | 1/2  | Bar model<br>Number shapes<br>Counters | Ten frames<br>Bead strings<br>Number lines      |
| Multiply 2-digit by 1-<br>digit numbers           | 3/4  | Place value counters<br>Base 10        | Short written method<br>Expanded written method |
| Multiply 3-digit by 1-<br>digit numbers           | 4    | Place value counters<br>Base 10        | Short written method                            |
| Multiply 4-digit by 1-<br>digit numbers           | 5    | Place value counters                   | Short written method                            |


| Skill                                   | Year | Representation                  | ns and models                       |
|---|------|---------------------------------|-------------------------------------|
| Multiply 2-digit by 2-<br>digit numbers | 5    | Place value counters<br>Base 10 | Short written method<br>Grid method |
| Multiply 2-digit by 3-<br>digit numbers | 5    | Place value counters            | Short written method<br>Grid method |
| Multiply 2-digit by 4-<br>digit numbers | 5/6  | Formal written method           |                                     |

| Skill: Solve 1-step problems using multiplication          | Year: 1/2   |
|--|---|
|  | Children represent<br>multiplication as<br>repeated addition in<br>many different ways. |
|  | In Year 1, children use concrete and pictorial  |
| One bag holds 5 apples.<br>How many apples do 4 bags hold? | representations to<br>solve problems. They<br>are not expected to                       |
|  | record multiplication<br>formally.  |
| $5+5+5+5=20$ $4 \times 5 = 20$ $5 \times 4 = 20$           | In Year 2, children are<br>introduced to the<br>multiplication symbol.                  |









| Skill: Multiply 3-digit nur | Skill: Multiply 3-digit numbers by 2-digit numbers |         |  |                            |                            |   |  |  |  |  |  |
|-----------------------------|--|---------|--|----------------------------|----------------------------|---|--|--|--|--|--|
|                             |  |         | Th     H       2       x       1       1       7       1       7 | T<br>3<br>3<br>6<br>2<br>8 | O<br>4<br>2<br>8<br>0<br>8 | Children can continue<br>to use the area model<br>when multiplying 3-<br>digits by 2-digits.<br>Place value counters<br>become more<br>efficient to use but<br>Base 10 can be used<br>to highlight the size of<br>numbers.<br>Encourage children to<br>move towards the |  |  |  |  |  |
|                             | ×  | 200     | 30   |                            | 4                          | formal written<br>method, seeing the  |  |  |  |  |  |
|                             | 30   | 6,000   | 900  | 1                          | 20                         | links with the grid   |  |  |  |  |  |
| 234 × 32 = 7,488            | 8  | method. |  |                            |                            |   |  |  |  |  |  |


| Skill: Multiply | Year: 5/6           |        |        |        |   |  |  |  |  |  |  |
|-----------------|---------------------|--------|--------|--------|---|--|--|--|--|--|--|
| -               | TTh Th H T O        |        |        |        |   |  |  |  |  |  |  |
|                 |                     | 2      | 7      | 3      | 9 |  | confident in the<br>written method.                            |  |  |  |  |
|                 | ×                   |        |        | 2      | 8 |  | If they are still<br>struggling with times                     |  |  |  |  |
| 2               | 2                   | 1<br>5 | 9<br>3 | 1<br>7 | 2 |  | tables, provide<br>multiplication grids to                     |  |  |  |  |
| 1               | 5                   | 4      | 7<br>1 | 8      | 0 |  | support when they<br>are focusing on the<br>use of the method. |  |  |  |  |
|                 | 7                   | 6      | 6      | 9      | 2 |  | Consider where<br>exchanged digits are                         |  |  |  |  |
| 2,739 × 28 = 7  | 2,739 × 28 = 76,692 |        |        |        |   |  |  |  |  |  |  |





| Skill   | Year                                   | Representatio                  | ons and models                           |  |  |
|---|--|--------------------------------|--|--|--|
| Solve one-step<br>problems with division<br>(sharing)     | 1/2                                    | Bar model<br>Real life objects | Arrays<br>Counters                       |  |  |
| Solve one-step<br>problems with division<br>(grouping)    | ems with division   1/2   <sup>1</sup> |                                | Number lines<br>Arrays<br>Counters       |  |  |
| Divide 2-digits by 1-<br>digit (no exchange<br>sharing)   | 3                                      | Straws<br>Base 10<br>Bar model | Place value counters<br>Part-whole model |  |  |
| Divide 2-digits by 1-<br>digit (sharing with<br>exchange) | 3                                      | Straws<br>Base 10<br>Bar model | Place value counters<br>Part-whole model |  |  |


| Skill   | Year                        | Representatio                    | ations and models                          |  |  |
|---|-----------------------------|----------------------------------|--|--|--|
| Divide 2-digits by 1-<br>digit (sharing with<br>remainders) | 3/4                         | Straws<br>Base 10<br>Bar model   | Place value counters<br>Part-whole model   |  |  |
| Divide 2-digits by 1-<br>digit (grouping)                   |                             |                                  | Place value grid<br>Written short division |  |  |
| Divide 3-digits by 1-<br>digit (sharing with<br>exchange)   | digit (sharing with 4 Bar m |                                  | Place value counters<br>Part-whole model   |  |  |
| Divide 3-digits by 1-<br>digit (grouping) 4/5               |                             | Place value counters<br>Counters | Place value grid<br>Written short division |  |  |


| Skill  | Year | Representations and models       |  |  |  |  |  |  |
|--|------|----------------------------------|--|--|--|--|--|--|
| Divide 4-digits by 1-<br>digit (grouping)              | 5    | Place value counters<br>Counters | Place value grid<br>Written short division |  |  |  |  |  |
| Divide multi-digits by<br>2-digits (short<br>division) | 6    | Written short division           | List of multiples                          |  |  |  |  |  |
| Divide multi-digits by<br>2-digits (long division)     |      | Written long division            | List of multiples                          |  |  |  |  |  |
























|                                   | Skill: | Divide  | e mul               | ti digits           | s by 2-d | ligits (sl | hort di | vision) | ) | Year: 6   |
|-----------------------------------|--------|---|---------------------|---------------------|----------|------------|---------|---------|---|---|
|                                   | 12     | 0   | 3<br>4 <sub>3</sub> | 6<br><sup>7</sup> 2 |          | 432        | ÷ 12    | 2 = 3   | 6 | When children begin<br>to divide up to 4-<br>digits by 2-digits,<br>written methods<br>become the most<br>accurate as concrete<br>and pictorial<br>representations<br>become less effective.<br>Children can write out<br>multiples to support<br>their calculations with |
|                                   |        |   |                     |                     |          | 0          | 4       | 8       | 9 | larger remainders.  |
| 7,3                               | 35 ÷   | Children will also<br>solve problems with<br>remainders where the |                     |                     |          |            |         |         |   |   |
| 15 30 45 60 75 90 105 120 135 150 |        |   |                     |                     |          |            |         |         |   | quotient can be<br>rounded as<br>appropriate.   |

|               | S   | Year: 6  |                       |   |   |                   |       |                         |                                      |                                      |                                       |  |  |
|---------------|-----|--|-----------------------|---|---|-------------------|-------|-------------------------|--------------------------------------|--------------------------------------|---------------------------------------|--|--|
| 2<br>-<br>7,3 | 043 | 3<br>3<br>6<br>7<br>7<br>-<br>-<br>-<br>-<br>- | 6<br>2<br>2<br>2<br>0 | $12 \times 1 = 1$<br>$12 \times 2 = 1$<br>$12 \times 3 = 1$<br>$12 \times 4 = 12 \times 5 = 1$<br>$12 \times 6 = 12 \times 7 = 1$<br>$12 \times 8 = 12 \times 7 = 1$<br>$12 \times 10 = 12 \times 10 = 1$ | 24<br>36<br>48<br>60<br>72<br>34<br>96<br>108 | 15<br>_<br>_<br>_ | 07611 | 43<br>03<br>2<br>1<br>1 | 8<br>3<br>0<br>3<br>0<br>3<br>3<br>3 | 9<br>5<br>0<br>5<br>5<br>5<br>0<br>0 | <b>12</b> =<br>(×400<br>(×80)<br>(×9) | $= 36$ $1 \times 15 = 15$ $2 \times 15 = 30$ $3 \times 15 = 45$ $4 \times 15 = 60$ $5 \times 15 = 75$ $10 \times 15 = 150$ | Children can also<br>divide by 2-digit<br>numbers using long<br>division.<br>Children can write out<br>multiples to support<br>their calculations with<br>larger remainders.<br>Children will also<br>solve problems with<br>remainders where the<br>quotient can be<br>rounded as<br>appropriate. |



#### Glossary

**Array** – An ordered collection of counters, cubes or other item in rows and columns.

**Commutative –** Numbers can be multiplied in any order.

**Dividend –** In division, the number that is divided.

**Divisor** – In division, the number by which another is divided.

**Exchange** – Change a number or expression for another of an equal value.

**Factor** – A number that multiplies with another to make a product.

**Multiplicand** – In multiplication, a number to be multiplied by another.

**Partitioning –** Splitting a number into its component parts.

**Product** – The result of multiplying one number by another.

Quotient - The result of a division

**Remainder** – The amount left over after a division when the divisor is not a factor of the dividend.

**Scaling** – Enlarging or reducing a number by a given amount, called the scale factor